



Kraftfahrt-Bundesamt

DE-24932 Flensburg



MITTEILUNG

ausgestellt von:

Kraftfahrt-Bundesamt

über die Genehmigung
für einen Visiertyp nach der Regelung Nr. 22

COMMUNICATION

issued by:

Kraftfahrt-Bundesamt

concerning approval granted
of a type of helmet visor pursuant to Regulation No. 22

Nummer der Genehmigung: **E1*22R05/03*300736*00**
Approval No.

1. Fabrik- oder Handelsmarke:
Trade name or mark:
LAZER, LZR, YOHE, IXS, ONEAL, RJAYS, SPYDER, BILT, NOX, SHAFT, CORSA, BILMOLA, SPEEDS
2. Typ:
Type:
967-1 Visor
3. Name des Herstellers:
Manufacturer's name:
Foshan City Nanhai Yongheng Helmet Manufacturing Co. Ltd.
CN-Jiujiang Town, Nanhai, Foshan City
4. Anschrift:
Address:
(s. 3.)
5. Gegebenenfalls Name des Vertreters des Herstellers:
If applicable, name of manufacturer's representative:
entfällt
not applicable
6. Anschrift:
Address:
(s. 5.)



Kraftfahrt-Bundesamt

DE-24932 Flensburg

2

Nummer der Genehmigung: E1*22R05/03*300736*00

Approval No.:

7. Kurze Beschreibung des Visiers:
Brief description of visor:
siehe Anlagen
see enclosures
8. Helmtypen, an die das Visier angebracht werden kann:
Types of helmet to which the visor may be fitted:
967-1
9. Zur Genehmigung vorlegt am:
Submitted for approval on:
15.01.2019
10. Technischer Dienst, der die Prüfungen für die Genehmigungen durchführt:
Technical service responsible for conducting approval tests:
SGS-TÜV Saar GmbH
DE-81379 München
11. Datum des Gutachtens des Technischen Dienstes:
Date of report issued by that service:
11.01.2019
12. Nummer des Gutachtens des Technischen Dienstes:
Number of report issued by that service:
HOM ECN T19/009-00
13. Bemerkungen:
Comments:
ohne
without
14. Die Genehmigung wird **erteilt**
Approval **granted**



Kraftfahrt-Bundesamt

DE-24932 Flensburg

3


Nummer der Genehmigung: E1*22R05/03*300736*00

Approval No.:

15. Ort: **DE-24932 Flensburg**
Place:

16. Datum: **25.01.2019**
Date:

17. Unterschrift: **Im Auftrag**
Signature:


(D. Stieglitz)



18. Folgende mit der oben erwähnten Genehmigungsnummer versehene Dokumente sind auf Anforderung erhältlich.
The following documents, bearing the approval number shown above, are available on request.

Nebenbestimmungen und Rechtsbehelfsbelehrung
Collateral clauses and instruction on right to appeal

1 Prüfbericht mit Anlagen
1 Test report with appendices

1 Beschreibungsmappe R22-967-1 Visor-00 (4 Blatt)
1 Information folder R22-967-1 Visor-00 (4 sheets)



Kraftfahrt-Bundesamt

DE-24932 Flensburg

Nr. der Genehmigung: E1*22R05/03*300736*00

Approval No.:

- Anlage -

Nebenbestimmungen und Rechtsbehelfsbelehrung

Nebenbestimmungen

Jede Einrichtung, die dem genehmigten Typ entspricht, ist gemäß der angewendeten Vorschrift zu kennzeichnen.

Das Genehmigungszeichen lautet wie folgt:



05300736

Die Einzelerzeugnisse der reihenweisen Fertigung müssen mit den Genehmigungsunterlagen genau übereinstimmen. Änderungen an den Einzelerzeugnissen sind nur mit ausdrücklicher Zustimmung des Kraftfahrt-Bundesamtes gestattet.

Änderungen der Firmenbezeichnung, der Anschrift und der Fertigungsstätten sowie eines bei der Erteilung der Genehmigung benannten Zustellungsbevollmächtigten oder bevollmächtigten Vertreters sind dem Kraftfahrt-Bundesamt unverzüglich mitzuteilen.

Verstöße gegen diese Bestimmungen können zum Widerruf der Genehmigung führen und können überdies strafrechtlich verfolgt werden.

Die Genehmigung erlischt, wenn sie zurückgegeben oder entzogen wird, oder der genehmigte Typ den Rechtsvorschriften nicht mehr entspricht. Der Widerruf kann ausgesprochen werden, wenn die für die Erteilung und den Bestand der Genehmigung geforderten Voraussetzungen nicht mehr bestehen, wenn der Genehmigungsinhaber gegen die mit der Genehmigung verbundenen Pflichten – auch soweit sie sich aus den zu dieser Genehmigung zugeordneten besonderen Auflagen ergeben – verstößt oder wenn sich herausstellt, dass der genehmigte Typ den Erfordernissen der Verkehrssicherheit oder des Umweltschutzes nicht entspricht.

Das Kraftfahrt-Bundesamt kann jederzeit die ordnungsgemäße Ausübung der durch diese Genehmigung verliehenen Befugnisse, insbesondere die genehmigungsgerechte Fertigung sowie die Maßnahmen zur Übereinstimmung der Produktion, nachprüfen. Es kann zu diesem Zweck Proben entnehmen oder entnehmen lassen. Dem Kraftfahrt-Bundesamt und/oder seinen Beauftragten ist ungehinderter Zutritt zu Produktions- und Lagerstätten zu gewähren.

Die mit der Erteilung der Genehmigung verliehenen Befugnisse sind nicht übertragbar. Schutzrechte Dritter werden durch diese Genehmigung nicht berührt.

Rechtsbehelfsbelehrung

Gegen diese Genehmigung kann innerhalb eines Monats nach Bekanntgabe Widerspruch erhoben werden. Der Widerspruch ist beim **Kraftfahrt-Bundesamt, Fördestraße 16, DE-24944 Flensburg**, schriftlich oder zur Niederschrift einzulegen.



Kraftfahrt-Bundesamt

DE-24932 Flensburg

2

Nummer der Genehmigung: E1*22R05/03*300736*00

Approval No.:

- Attachment -

Collateral clauses and instruction on right to appeal

Collateral clauses

All equipment which corresponds to the approved type is to be identified according to the applied regulation.

The approval identification is as follows: - see German version -

The individual production of serial fabrication must be in exact accordance with the approval documents. Changes in the individual production are only allowed with express consent of the Kraftfahrt-Bundesamt.

Changes in the name of the company, the address and the manufacturing plant as well as one of the parties given the authority to delivery or authorised representative named when the approval was granted is to be immediately disclosed to the Kraftfahrt-Bundesamt.

Breach of this regulation can lead to recall of the approval and moreover can be legally prosecuted.

The approval expires if it is returned or withdrawn or if the type approved no longer complies with the legal requirements. The revocation can be made if the demanded requirements for issuance and the continuance of the approval no longer exist, if the holder of the approval violates the duties involved in the approval, also to the extent that they result from the assigned conditions to this approval, or if it is determined that the approved type does not comply with the requirements of traffic safety or environmental protection.

The Kraftfahrt-Bundesamt may check the proper exercise of the conferred authority taken from this approval at any time. In particular this means the compliant production as well as the measures for conformity of production. For this purpose samples can be taken or have taken. The employees or the representatives of the Kraftfahrt-Bundesamt may get unhindered access to the production and storage facilities.

The conferred authority contained with issuance of this approval is not transferable. Trade mark rights of third parties are not affected with this approval.

Instruction on right to appeal

This approval can be appealed within one month after notification. The appeal is to be filed in writing or as a transcript at the **Kraftfahrt-Bundesamt, Fördestraße 16, DE-24944 Flensburg.**

Technical Report

Test standard:
ECE Regulation No. 22

Level of amendment:
Supplement 2 to the 05 series of amendments

Title:
Protective helmets and their visors

Manufacturer:
FOSHAN CITY NANHAI YONGHENG HELMET MANUFACTURING CO., LTD.

Type:
967-1 Visor

Subject of testing:
Component

0 General

0.1	Make (trade name of manufacturer):	LAZER, LZR, YOHE, IXS, ONEAL, RJAYS, SPYDER, BILT, NOX, SHAFT, CORSA, BILMOLA, SPEEDS
0.2	Type:	967-1 Visor
0.2.1	Commercial description:	n.a.
0.3	Means of identification of type, if marked on the vehicle:	n.a.
0.3.1	Location of that marking:	n.a.
0.4	Category of vehicle:	n.a.
0.5	Manufacturer's name and address:	FOSHAN CITY NANHAI YONGHENG HELMET MANUFACTURING CO., LTD. Yannan Industrial Area, Longgao Road, Jiujiang, Foshan City, Guangdong Province, China
0.8	Address of assembly plant:	FOSHAN CITY NANHAI YONGHENG HELMET MANUFACTURING CO., LTD. Yannan Industrial Area, Longgao Road, Jiujiang, Foshan City, Guangdong Province, China
0.9	Name and address of representative:	n.a.
	Location of the ECE approval mark:	refer to information document

1 Test record

See appendix

2 Attachments

2.1 List of modifications:

2.2 Information folder:

No.: R22-967-1 Visor-00

Date of issue: 25.12.2018

3 Statement of conformity

The information folder as mentioned under no. 2.2 and the type described therein are in compliance with the test standard mentioned above.

With regard to the required level of performance to be achieved, the test specimen were representative for the type to be approved.

The tests were carried out in accordance to the relevant requirements of the

☐ EN ISO/IEC 17025:2005 ☒ EN ISO/IEC 17020:2012

**Test Laboratory
SGS-TÜV Saar GmbH**

notified by

Kraftfahrt-Bundesamt (KBA),
Federal Republic of Germany

No. KBA - P 00084 – 10

National Standards
Authority of Ireland (NSAI)

No. 101

Rijksdienst voor het Wegverkeer
(RDW),
The Netherlands

No. 99050064 00

Responsible expert**Signature**

Lell Wu

Jan 11, 2019

**Conformity check****Signature**

Doris Yang

Jan 15, 2019

This Technical Report shall be reproduced and published in full only and by the client only. It shall be reproduced partially with the written permission of the Test Laboratory only.

This document is issued by the Company subject to its General Conditions of Service (www.sgsgroup.de/agb). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. This document is an original. If the document is submitted digitally, it is to be treated as an original within the meaning of UCP 600. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Test record

1 Test object and measuring equipment

1.1 Test object

- ☐ Protective helmet (without visor)
☐ Protective helmet (with visor)
☒ Visor

1.1.1 Protective Helmet

☒ n.a.

1.1.2 Helmet visor

Type of visor or visors:
Brief description of visor/visors:

967-1 Visor
Clear visor, three dimensional injected,
PC material

Types of helmet to which the visor
may be fitted:

967-1
Attached to the visor base

1.1.3 Sun shade

The helmet is equipped with a swivel-mounted sun shade, which may only be used in combination with the visor in closed position according to the user manual

- ☐ On the inner side of the visor
☐ On the outer side of the visor
☒ Not applicable

1.1.4 Remarks:

n.a.

1.2 Equipments for measuring and testing:

1.2.1 Test equipment:

The equipment and the test facilities on which the tests were carried out fulfilled the requirements of the ECE Regulation 22.05

1.2.2 Measurement procedure:

according to ECE Regulation No. 22.05

2 Test Results

2.1 Protective helmet

☒ n.a.

2.2 Retention system

☒ n.a.

2.3 Visor

2.3.1 Marking (clauses 4.1.2, 4.2, 4.3, 4.4)

All required information, in accordance with the ECE R22.05, is marked on the visor

☒ fulfilled
☐ Not fulfilled
☐ n.a.

2.3.2 Maneuverability (clause 6.15.1)

☒ fulfilled
☐ Not fulfilled
☐ n.a.

2.3.3 Maximum opening angle ($\geq 5^\circ$) (clause 6.15.2)

☒ fulfilled
☐ Not fulfilled
☐ n.a.

2.3.4 Field of vision (clause 6.15.3)

2.3.4.1 Peripheral vision

☒ fulfilled
☐ Not fulfilled
☐ n.a.

2.3.4.2 Fixings and devices to allow the maneuverability:

☒ fulfilled
☐ Not fulfilled
☐ n.a.

2.3.4.3 Field of vision upwards ($\geq 7^\circ$):


☒ fulfilled
☐ Not fulfilled
☐ n.a.

- 2.3.4.4 Field of vision Horizontal ($\geq 90^\circ$):
- ☒ fulfilled
☐ Not fulfilled
☐ n.a.
- 2.3.4.5 Field of vision lower edge:
- ☒ fulfilled
☐ Not fulfilled
☐ n.a.
- 2.3.5 Luminous transmittance
(clause 6.15.3.4)
- ☒ Fulfilled (at least 80%)
☐ Fulfilled (50% to 80%)
☐ Not fulfilled
☐ n.a.

Test method: In accordance with Annex 11, method C

Visor No.	luminous transmittance (τ_v) ($\geq 80\%$ or $80\% \geq \tau_v \geq 50\%$)
1	89.6%
2	89.7%
3	89.4%

“DAYTIME USE ONLY” and/or



marking:

- ☐ fulfilled
☐ Not fulfilled
☒ n.a.

- 2.3.6 Light diffusion
(clause 6.15.3.5 and 7.8.3)
- ☒ fulfilled
☐ Not fulfilled
☐ n.a.

Test Specification:

Abrasion Test Method: In accordance with Annex 10

Visor No.	Before abrasion ($\leq 0,65 \text{ cd/m}^2/\text{lx}$)	After abrasion ($\leq 5 \text{ cd/m}^2/\text{lx}$)
1	0.1628	2.1528
2	0.1589	1.1794
3	0.1436	2.2245

2.3.7 Recognition of signal lights
(clause 6.15.3.6)

☒ fulfilled
☐ Not fulfilled
☐ n.a.

Visor No.	Red signal light ($Q \geq 0.80$)	Yellow signal light ($Q \geq 0.80$)	Green signal light ($Q \geq 0.60$)	Blue signal light ($Q \geq 0.40$)
1	1.01	1.00	1.00	1.00
2	1.01	1.00	1.00	1.00
3	1.01	1.00	1.00	1.00

2.3.8 Spectral Transmittance
(clause 6.15.3.7)

☒ fulfilled
☐ Not fulfilled
☐ n.a.

Visor No.	Spectral transmittance ($\geq 0.2 \tau_v$)
1	$> 0.2 \tau_v$
2	$> 0.2 \tau_v$
3	$> 0.2 \tau_v$

2.3.9 Refractive power
(clause 6.15.3.8)

☒ fulfilled
☐ Not fulfilled
☐ n.a.

Test method: In accordance with Annex 15

Visor No.	Spherical power (m^{-1}) ($\pm 0,12$)	Astigmatic power (m^{-1}) (≤ 0.120)	Prismatic power (cm/m)		
			Horizontal (Base out) (≤ 1.00)	Horizontal (Base in) (≤ 0.25)	Vertical (≤ 0.25)
4	-0.010	0.054	0.28	---	0.08
	0.002	0.058			
5	0.009	0.073	0.29	---	0.09
	0.008	0.073			
6	-0.004	0.045	0.29	---	0.07
	0.005	0.047			

- 2.3.10 Mist retardant
(clause 6.15.3.9)
- | | |
|-------------------------------------|---------------|
| <input type="checkbox"/> | fulfilled |
| <input type="checkbox"/> | Not fulfilled |
| <input checked="" type="checkbox"/> | n.a. |

Test method: In accordance with Annex 16

Visor No.	Misting time less than 20 s
7	n.a.
8	n.a.
9	n.a.

- 2.3.10.1 "mist retardant" marking:
- | | |
|-------------------------------------|---------------|
| <input type="checkbox"/> | fulfilled |
| <input type="checkbox"/> | Not fulfilled |
| <input checked="" type="checkbox"/> | n.a. |

- 2.3.11 Mechanical characteristics
(clause 7.8.2)
- | | |
|-------------------------------------|---------------|
| <input checked="" type="checkbox"/> | fulfilled |
| <input type="checkbox"/> | Not fulfilled |
| <input type="checkbox"/> | n.a. |

2.4 Information for wearers (clauses 14.1 to 14.6)

- 2.4.1 Every protective helmet placed on the market shall bear a clearly visible label with the following inscription in the national language, or at least one of the national languages, of the country of destination:
- | | |
|-------------------------------------|---------------|
| <input type="checkbox"/> | fulfilled |
| <input type="checkbox"/> | Not fulfilled |
| <input checked="" type="checkbox"/> | n.a. |

"For adequate protection, this helmet must fit closely and be securely attached. Any helmet that has sustained a violent impact should be replaced"

and, if fitted with a non protective lower face cover:

- | | |
|-------------------------------------|---------------|
| <input type="checkbox"/> | fulfilled |
| <input type="checkbox"/> | Not fulfilled |
| <input checked="" type="checkbox"/> | n.a. |

"Does not protect chin from impacts"

together with the symbol indicating the unsuitability of the lower face cover to offer any protection against impacts to the chin

- 2.4.2 and, if hydrocarbons, cleaning fluids, paints, transfers or other extraneous additions affect the shell material adversely
- | | |
|-------------------------------------|---------------|
| <input type="checkbox"/> | fulfilled |
| <input type="checkbox"/> | Not fulfilled |
| <input checked="" type="checkbox"/> | n.a. |

"Warning" - Do not apply paint, stickers, petrol or other solvents to this helmet"

- 2.4.3 Every protective helmet shall be clearly marked with its size and its maximum weight, to the nearest 50 grammes, as placed on the market. The maximum weight quoted should include all the accessories that are supplied with the helmets, within the packaging, as it is placed on the market, whether or not those accessories have actually been fitted to the helmet.
- | | |
|-------------------------------------|---------------|
| <input type="checkbox"/> | fulfilled |
| <input type="checkbox"/> | Not fulfilled |
| <input checked="" type="checkbox"/> | n.a. |

- 2.4.4 Every protective helmet offered for sale shall bear a label showing the type or types of visor that have been approved at the manufacturer's request.
- | | |
|-------------------------------------|---------------|
| <input type="checkbox"/> | fulfilled |
| <input type="checkbox"/> | Not fulfilled |
| <input checked="" type="checkbox"/> | n.a. |

- 2.4.5 Every visor offered for sale shall bear a label showing the types of protective helmet for which it has been approved
- | | |
|-------------------------------------|---------------|
| <input checked="" type="checkbox"/> | fulfilled |
| <input type="checkbox"/> | Not fulfilled |
| <input type="checkbox"/> | n.a. |

- 2.4.6 Every visor placed on the market with a protective helmet shall be accompanied by information in the national language, or in at least one of the national languages, of the country of destination. This information shall contain:

- 2.4.6.1 General Instruction for Storage and Care
- | | |
|-------------------------------------|---------------|
| <input checked="" type="checkbox"/> | fulfilled |
| <input type="checkbox"/> | Not fulfilled |
| <input type="checkbox"/> | n.a. |

- | | | |
|---------|--|--|
| 2.4.6.2 | <p>Specific instructions for cleaning and their notice of use. These instructions shall include a warning regarding the dangers of using unsuitable agents for cleaning (such as solvents), especially if abrasion resistant coatings are to be preserved.</p> | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div><input checked="" type="checkbox"/> fulfilled</div> <div><input type="checkbox"/> Not fulfilled</div> <div><input type="checkbox"/> n.a.</div> </div> |
| 2.4.6.3 | <p>Advice as to the suitability of the visor for use in conditions of poor visibility and during the hours of darkness. The following warning shall be included:
 Visors with the marking indicating "daytime use only" are not suitable for use during the hours of darkness or in conditions of poor visibility.</p> | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div><input checked="" type="checkbox"/> fulfilled</div> <div><input type="checkbox"/> Not fulfilled</div> <div><input type="checkbox"/> n.a.</div> </div> |
| 2.4.6.4 | <p>If appropriate, the following warning shall also be included
 The fastening of this visor is such that it will not be possible to remove it instantly from the line of sight with one hand should an emergency (such as headlamp glare or misting) occur.</p> | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div><input type="checkbox"/> fulfilled</div> <div><input type="checkbox"/> Not fulfilled</div> <div><input checked="" type="checkbox"/> n.a.</div> </div> |
| 2.4.6.5 | <p>If the visor is MIST RETARDANT approved it may be indicated</p> | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div><input type="checkbox"/> fulfilled</div> <div><input type="checkbox"/> Not fulfilled</div> <div><input checked="" type="checkbox"/> n.a.</div> </div> |
| 2.4.6.6 | <p>Instructions regarding the detention of obsolescence</p> | <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div><input checked="" type="checkbox"/> fulfilled</div> <div><input type="checkbox"/> Not fulfilled</div> <div><input type="checkbox"/> n.a.</div> </div> |

3 Other information

Place of testing:	SGS CSTC Guangzhou, P.R. China
Date of testing:	From 26.12.2018 to 04.01.2019

4 Remarks:	---
-------------------	-----

List of modifications

- | | | |
|---|------------------|------|
| 1 | Correction of: | n.a. |
| 2 | Modification of: | n.a. |
| 3 | Addition of: | n.a. |
| 4 | Deletion of: | n.a. |

INFORMATION DOCUMENT

No.: R22-967-1 Visor-00



FOSHAN CITY NANHAI YONGHENG HELMET MANUFACTURING CO., LTD.


TYPE: 967-1 Visor

Protective visor
pursuant to

Regulation No. 22

UNIFORM PROVISIONS CONCERNING THE APPROVAL OF
PROTECTIVE HELMETS AND THEIR VISORS FOR DRIVERS AND
PASSENGERS OF MOTORCYCLES AND MOPEDS

Signature of a responsible person:



Date: 25.12.2018



INFORMATION DOCUMENT

R22-967-1 Visor-00

Type : 967-1 Visor
Manufacture : FOSHAN CITY NANHAI YONGHENG HELMET
MANUFACTURING CO., LTD

Date:25.12.2018

Page 2 of 4

0 GENERAL INFORMATION


- 0.1 Make (trade name of manufacturer) : LAZER, LZR, YOHE, IXS, ONEAL, RJAYS, SPYDER, BILT, NOX, SHAFT, CORSA, BILMOLA, SPEEDS
- 0.2 Type : 967-1 Visor
- 0.2.1 Commercial description : n.a.
- 0.3 Variants / Versions : n.a.
- 0.4 Name and address of manufacturer : FOSHAN CITY NANHAI YONGHENG HELMET MANUFACTURING CO., LTD.
Yannan Industrial Area, Longgao Road, Jiujiang, Foshan City, Guangdong Province, China
- 0.5 Name and address of assembly plant : FOSHAN CITY NANHAI YONGHENG HELMET MANUFACTURING CO., LTD.
Yannan Industrial Area, Longgao Road, Jiujiang, Foshan City, Guangdong Province, China
- 0.6 Name and address of manufacturer's authorized representative (if any) : n.a.
- 0.7 Location and method of affixing of the international approval mark : Lateral side, out of the main field of vision, refer to Annex 1

1 TECHNICAL DESCRIPTION


- 1.1 Description of the visor
- 1.1.1 Material : Polycarbonate
- 1.1.2 Color : Clear
- 1.1.3 Thickness : 2.0±0.1 mm
- 1.1.4 Transmittance : Above 85%
- 1.1.5 Surface treatment : Scratch resistance
- 1.1.6 Manufacture method : By injection
- 1.1.7 Type(s) of helmet to which may be equipped with this visor : 967-1
Attached to the visor base
- 1.1.8 Drawing of the visor : See Annex 1

ANNEXS

- Annex 1 Drawing of the visor 25.12.2018
- Annex 2 Information for wearer 25.12.2018

Annex 1: Drawing of the visor


Unit: mm

Number	Name	Parameter	Number	Name	Parameter
1	Visor material	Polycarbonate	2	ECE Marking	
	Visor thickness	2.0±0.1 mm			
3	Visor protective film	PVC			
Description	967-1 Visor		Code No.:	967-1 Visor	
Manufacturer:	FOSHAN CITY NANHAI YONGHENG HELMET MANUFACTURING CO., LTD.				
Address:	Yannan Industrial Area, Longgao Road, Jiujiang, Foshan City, Guangdong Province, China				
Drawn by:	Xu Jialiang	Checked by:	Huang Leilei	Approved by:	Zhang Jun
Date:	25.12.2018	Date:	25.12.2018	Date:	25.12.2018



Type : 967-1 Visor

Date:25.12.2018

Manufacture : FOSHAN CITY NANHAI YONGHENG HELMET
MANUFACTURING CO., LTD

Page 4 of 4

Annex 2: Information for wearer

WARNING

- VISOR damaged by scratches will reduce visibility and should be replaced.
- VISOR having minor scuffed areas or small surface scratches should not be used at night.
- CONTACT with petroleum products and other solvents may impair the optical properties and reduce the mechanical strength.

Cleaning Instruction: Visor should only be cleaned with mild soap and water using soft cloth



WARNING!

Be sure to remove this
film before its use